

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(714/741.ccls.) and (verifier with (accept \$3 or input\$4) with (own adj output ) with output with ((configur\$4 adj logic adj block\$1) or FPGA or PLA) ) and (verifier with maintain \$3 with (fail\$3 adj indicat\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 17:00
L2	0	(714/726.ccls.) and (verifier with (accept \$3 or input\$4) with (own adj output ) with output with ((configur\$4 adj logic adj block\$1) or FPGA or PLA) ) and (verifier with maintain \$3 with (fail\$3 adj indicat\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 17:00
L3	0	(714/717.ccls.) and (verifier with (accept \$3 or input\$4) with (own adj output ) with output with ((configur\$4 adj logic adj block\$1) or FPGA or PLA) ) and (verifier with maintain \$3 with (fail\$3 adj indicat\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 17:01
L4	0	(714/738.ccls.) and (verifier with (accept \$3 or input\$4) with (own adj output ) with output with ((configur\$4 adj logic adj block\$1) or FPGA or PLA) ) and (verifier with maintain \$3 with (fail\$3 adj indicat\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 17:01

L5	0	(714/724.ccls.) and (verifier with (accept \$3 or input\$4) with (own adj output ) with output with ((configur\$4 adj logic adj block\$1) or FPGA or PLA) ) and (verifier with maintain \$3 with (fail\$3 adj indicat\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 17:01
L6	0	(714/48.ccls.) and (verifier with (accept \$3 or input\$4) with (own adj output ) with output with ((configur\$4 adj logic adj block\$1) or FPGA or PLA) ) and (verifier with maintain \$3 with (fail\$3 adj indicat\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 17:01
L7	0	(716/16.ccls.) and (verifier with (accept \$3 or input\$4) with (own adj output ) with output with ((configur\$4 adj logic adj block\$1) or FPGA or PLA) ) and (verifier with maintain \$3 with (fail\$3 adj indicat\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 17:02
L8	0	(703/13.ccls.) and (verifier with (accept \$3 or input\$4) with (own adj output ) with output with ((configur\$4 adj logic adj block\$1) or FPGA or PLA) ) and (verifier with maintain \$3 with (fail\$3 adj indicat\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 17:02

L9	0	(703/14.ccls.) and (verifier with (accept \$3 or input\$4) with (own adj output ) with output with ((configur\$4 adj logic adj block\$1) or FPGA or PLA ) and (verifier with maintain \$3 with (fail\$3 adj indicat\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 17:02
L10	0	(verifier with (accept \$3 or input\$4) with (own adj output ) with output with ((configur\$4 adj logic adj block\$1) or FPGA or PLA ) and (verifier with maintain \$3 with (fail\$3 adj indicat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 17:03
L22	0	((second adj configuration) adj (inverse\$2 adj map \$4) adj (first adj configuration)) with (map\$4 adj input\$1 adj output\$1 adj second adj routing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 17:23
L24	0	(714/741.ccls.) and (((second adj configuration) adj (inverse\$2 adj map \$4) adj (first adj configuration)) with (map\$4 adj input\$1 adj output\$1 adj second adj routing))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 18:03
L25	0	(714/726.ccls.) and (((second adj configuration) adj (inverse\$2 adj map \$4) adj (first adj configuration)) with (map\$4 adj input\$1 adj output\$1 adj second adj routing))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 18:03

L26	0	(714/717.ccls.) and (((second adj configuration) adj (inverse\$2 adj map \$4) adj (first adj configuration)) with (map\$4 adj input\$1 adj output\$1 adj second adj routing))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 18:03
L27	0	(714/738.ccls.) and (((second adj configuration) adj (inverse\$2 adj map \$4) adj (first adj configuration)) with (map\$4 adj input\$1 adj output\$1 adj second adj routing))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 18:04
L28	0	(714/724.ccls.) and (((second adj configuration) adj (inverse\$2 adj map \$4) adj (first adj configuration)) with (map\$4 adj input\$1 adj output\$1 adj second adj routing))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 18:04
L29	0	(714/48.ccls.) and (((second adj configuration) adj (inverse\$2 adj map \$4) adj (first adj configuration)) with (map\$4 adj input\$1 adj output\$1 adj second adj routing))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 18:04
L30	0	(716/16.ccls.) and (((second adj configuration) adj (inverse\$2 adj map \$4) adj (first adj configuration)) with (map\$4 adj input\$1 adj output\$1 adj second adj routing))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 18:05

L31	0	(703/13.ccls.) and (((second adj configuration) adj (inverse\$2 adj map \$4) adj (first adj configuration)) with (map\$4 adj input\$1 adj output\$1 adj second adj routing))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 18:05
L32	0	(703/14.ccls.) and (((second adj configuration) adj (inverse\$2 adj map \$4) adj (first adj configuration)) with (map\$4 adj input\$1 adj output\$1 adj second adj routing))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 18:05
L55	0	(714/741.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (first adj (set or device)) with (second adj test\$3 adj pattern) with (second adj (set or device)) with (output adj data))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:39
L56	0	(714/726.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (first adj (set or device)) with (second adj test\$3 adj pattern) with (second adj (set or device)) with (output adj data))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:40
L57	0	(714/717.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (first adj (set or device)) with (second adj test\$3 adj pattern) with (second adj (set or device)) with (output adj data))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:40

L58	0	(714/738.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (first adj (set or device)) with (second adj test\$3 adj pattern) with (second adj (set or device)) with (output adj data))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:40
L59	0	(714/724.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (first adj (set or device)) with (second adj test\$3 adj pattern) with (second adj (set or device)) with (output adj data))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:41
L60	0	(714/48.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (first adj (set or device)) with (second adj test\$3 adj pattern) with (second adj (set or device)) with (output adj data))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:41
L61	0	(716/16.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (first adj (set or device)) with (second adj test\$3 adj pattern) with (second adj (set or device)) with (output adj data))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:41

L62	0	(703/13.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (first adj (set or device)) with (second adj test\$3 adj pattern) with (second adj (set or device)) with (output adj data))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:41
L63	0	(703/14.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (first adj (set or device)) with (second adj test\$3 adj pattern) with (second adj (set or device)) with (output adj data))	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:42
L64	1	((data adj process\$3) with (first adj test\$3 adj pattern) with (first adj (set or device)) with (second adj test\$3 adj pattern) with (second adj (set or device)) with (output adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 19:42
L66	0	(714/741.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (test \$3 adj first adj (set or device)) with (second adj test\$3 adj pattern) with (test \$3 adj second adj (set or device)) )	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:56
L67	0	(714/726.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (test \$3 adj first adj (set or device)) with (second adj test\$3 adj pattern) with (test \$3 adj second adj (set or device)) )	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:57

L68	0	(714/717.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (test \$3 adj first adj (set or device)) with (second adj test\$3 adj pattern) with (test \$3 adj second adj (set or device)) )	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:58
L69	0	(714/738.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (test \$3 adj first adj (set or device)) with (second adj test\$3 adj pattern) with (test \$3 adj second adj (set or device)) )	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:58
L70	0	(714/724.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (test \$3 adj first adj (set or device)) with (second adj test\$3 adj pattern) with (test \$3 adj second adj (set or device)) )	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:58
L71	0	(714/48.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (test \$3 adj first adj (set or device)) with (second adj test\$3 adj pattern) with (test \$3 adj second adj (set or device)) )	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:58
L72	0	(716/16.ccls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (test \$3 adj first adj (set or device)) with (second adj test\$3 adj pattern) with (test \$3 adj second adj (set or device)) )	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:59



L73	0	(703/13.ocls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (test \$3 adj first adj (set or device)) with (second adj test\$3 adj pattern) with (test \$3 adj second adj (set or device)) )	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:59
L74	0	(703/14.ocls.) and ((data adj process\$3) with (first adj test\$3 adj pattern) with (test \$3 adj first adj (set or device)) with (second adj test\$3 adj pattern) with (test \$3 adj second adj (set or device)) )	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 19:59
L75	1	((data adj process\$3) with (first adj test\$3 adj pattern) with (test \$3 adj first adj (set or device)) with (second adj test\$3 adj pattern) with (test \$3 adj second adj (set or device)) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/05 20:00
L76	14	montagne-xavier.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 20:01
L78	1	(maquignon-franck. in.)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/05 20:04
S247	14	(montagne-xavier. in.)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/29 11:45
S248	1	(maquignon-franck. IN.)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/29 11:46

5/ 5/ 09 8:11:30 PM

C:\Documents and Settings\dgandhi\My Documents\ EAST\ Workspaces\ 10673211.wsp